

Specification

Sync/async player

L2

V2.1 2019 Mar

Summary:

L2 is a sync/async player released by Linsn. It is with HDMI input and allows you to play program over WIFI, LAN or USB flash drive. It supports up to 650 thousand pixels and applies to advertising machine.

Official website: www.linsn.com

Add: Floor 15&16, Jiayahao Business Building, No. 10168, Shennan Blvd,
Nanshan District, Shenzhen

Tel: 4008836968/+86-0755-86183590/+86-0755-33209618

Features:

1. Supports up to 650 thousand pixels;
2. Supports synchronous display by inputting HDMI signal;
3. Supports importing program by WIFI、 LAN、 USB、 USB flash drive;
4. Supports setting up LED screen over internet;
5. Supports up to 1920 horizontally or up to 1080 vertically;
6. Supports multiple media formats, like videos, pictures and animations;
7. Supports multiple content formats, like video/image files, word, and database;
8. Supports most of driver ICs;
9. Supports scan mode ranges from static to 32 scan mode (both real and virtual pixel type);
10. Supports customize gray scale, up to 16bit, 65536 levels;
11. Refresh rate: up to 3840Hz for scanning display, up to 6000Hz for static display.

Official website: www.linsn.com

Add: Floor 15&16, Jiajiahao Business Building, No. 10168, Shennan Blvd,
Nanshan District, Shenzhen

Tel: 4008836968/+86-0755-86183590/+86-0755-33209618

Interface: _____




| | | | |
|-----------|------------------------|--------------|---------------------|
| RUN | Output indicator | RESET | Factory setup |
| CLOUD | WIFI/hotspot indicator | SWITCH | WIFI/hotspot switch |
| PWR | Power indicator | DC 12V | Power supply |
| SYS | Indicator for system | WIFI antenna | WIFI antenna |
| Audio OUT | 3.5mm audio output | LAN/WAN | For LAN/WAN |
| USB | Play USB flash drive | LED OUT | Output to LED |
| HDMI IN | HDMI input | | |

Official website: www.linsn.com

Add: Floor 15&16, Jiajahao Business Building, No. 10168, Shennan Blvd,
Nanshan District, Shenzhen

Tel: 4008836968/+86-0755-86183590/+86-0755-33209618

Dimensions: _____



Working Conditions: _____

| | |
|---------------------------------|---------------------|
| Power adapter | 12/2A |
| Consumption | 15W |
| Working temperature (°C) | -20°C ~ 75°C |
| Working humidity (%) | 0% ~ 95% |
| Weight (KG) | 0.5 |

END

Official website: www.linsn.com

Add: Floor 15&16, Jiajahao Business Building, No. 10168, Shennan Blvd,
Nanshan District, Shenzhen

Tel: 4008836968/+86-0755-86183590/+86-0755-33209618