

# VNNOX One-Stop Cloud Platform

V7.18.0 NS170100362



**VNNOX Standard User Manual**

---

# Contents

---

<b>Contents .....</b>	<b>i</b>
<b>1 About This Document.....</b>	<b>1</b>
<b>2 Software Installation .....</b>	<b>3</b>
2.1 Installing VPlayer .....	3
2.2 Installing ViPlex .....	3
2.2.1 Installing ViPlex Handy (Android and iOS) .....	3
2.2.2 Installing ViPlex Express (Windows) .....	4
<b>3 System Login.....</b>	<b>5</b>
<b>4 Solution Publishing.....</b>	<b>7</b>
4.1 Checking Player Authentication Information.....	7
4.2 Creating Players .....	7
4.2.1 Creating Players with VPlayer .....	7
4.2.2 Creating Players with ViPlex .....	8
4.3 Adding Media .....	10
4.4 Creating Solutions .....	11
4.5 Publishing Solutions .....	13
<b>5 Other Functions .....</b>	<b>14</b>
5.1 Authorizing Players .....	14
5.2 Upgrading Terminal Players.....	14
5.3 Grouping Players .....	15
5.4 Remote Real-Time Control .....	15
5.5 Syncing Time .....	16
5.6 Viewing Remote Control Logs .....	16
5.7 Viewing Play Logs .....	17
5.8 System Switching .....	17

# 1 About This Document

---

The cloud publishing service of VNNOX one-stop cloud platform includes VNNOX Standard and VNNOX AD, allowing for remote content management and terminal control. **In the self-built system, VNNOX Standard is not supported.**

This document introduces the functions of VNNOX Standard to help users to understand and use the product. Below is an introduction of related concepts.

## Remote Publishing

Remote publishing enables users to publish solutions associated with players to remote terminal players via Internet. The solutions will be downloaded and played by terminal players as scheduled.

## Remote Control

Remote control enables users to perform real-time or scheduled operations such as restarting displays. Scheduled control can be implemented by sending remote control plans.

## Players

Players include synchronous players and asynchronous players, which can be associated with solutions and remote control plans.

Players in VNNOX Standard are created automatically when bound to the terminal player and can be transferred to VNNOX AD by authorization.

Players in VNNOX AD are created manually on the player list page and require licenses.

**In the self-built system, VNNOX Standard and functions related to licenses are not supported.**

## Terminal Players

Solutions can be downloaded and played by terminal players as scheduled.

VPlayer is an application which serves as a terminal player and can be used for devices installed with Windows.

Taurus series multimedia players are hardware products based on Android and can be used as the terminal players of the asynchronous system.

## Player Binding

Player binding is also called terminal binding.

Binding terminal players to players enables users to publish solutions and control displays remotely. Only one player can be bound to a terminal player.

- Synchronous players: Bound to VPlayer
- Asynchronous players: Bound to Taurus with ViPlex

ViPlex includes ViPlex Handy (Android and iOS) and ViPlex Express (Windows).


## Solutions

In VNNOX Standard, after users add media and edit the solution page, a solution is created. **In the self-built system, VNNOX Standard is not supported.**

In VNNOX AD, after users add media, add media and sub-playlists to a playlist and schedule the playlist, a solution is created.

The relationship between the media, playlist and solution is shown in [Figure 1-1](#).

Figure 1-1 Media management



# 2 Software Installation

## 2.1 Installing VPlayer

### Before You Begin

- Visit [www.en.vnnox.com/#downloadSyn](http://www.en.vnnox.com/#downloadSyn) to download the VPlayer installation program.
- Make sure the antivirus software is stopped.
- Make sure the .NET Framework V4.0 or above is installed.

### Installing Software

The installation of VPlayer is the same as other Windows applications.

## 2.2 Installing ViPlex

ViPlex includes ViPlex Handy and ViPlex Express.

### 2.2.1 Installing ViPlex Handy (Android and iOS)

#### Downloading Installation Package

Scan the QR code below to download the installation packages for Android and iOS.



### Installing Software

The installation of the ViPlex Handy is the same as other applications.

## 2.2.2 Installing ViPlex Express (Windows)

### Downloading Installation Package

[www.en.vnnox.com/#downloadT](http://www.en.vnnox.com/#downloadT)

### Installing Software


The installation of the ViPlex Express is the same as other Windows applications.

XI'AN NOVASTAR TECH CO.,LTD

# 3 System Login

- Step 1 Visit [www.en.vnnox.com](http://www.en.vnnox.com) and click **Login** at the top right of the page.
- Step 2 Select the server node and click **OK**.
- Step 3 Enter the account name and password, then click **Log In**. The service login page is displayed.


Figure 3-1 Service login page



- Step 4 Click the **Open** button of VNNOX Standard.

An operation guide is displayed by default, helping users to understand the basic functions of VNNOX Standard.

Figure 3-2 VNNOX Standard



XI'AN NOVASTAR TECH CO.,LTD



# 4 Solution Publishing

## 4.1 Checking Player Authentication Information

### Related Information

After successful registration, VNNOX generates the default authentication information automatically.

To prevent terminal players from illegally accessing VNNOX, you are advised to change the default authentication information.

### Operating Steps

Step 1 Choose  > **Account**.

Step 2 Record the **Server address**, **Certified user name** and **Certified password**.

## 4.2 Creating Players

Players in VNNOX Standard are created automatically when bound to terminal players.

After players are created successfully, information related to the players will be displayed on the **Players** page. Users can perform the following operations.


- Update player status
- Authorize players
- Rename players
- Upgrade terminal players
- Delete players
- Group players

See detailed introduction of authorizing players, upgrading terminal players and grouping players in [5.1 Authorizing Players](#), [5.2 Upgrading Terminal Players](#) and [5.3 Grouping Players](#).

### 4.2.1 Creating Players with VPlayer

Step 1 Open VPlayer, as shown in [Figure 4-1](#).

Figure 4-1 The Config tab




Step 2 In the **Config** tab page, click **New**.

Step 3 Enter the server name and address and then click **OK**. The **Server Address** must be consistent with the address in VNNOX.

Step 4 Enter the authentication user name and password which must be consistent with those in VNNOX.

Step 5 Click **Get** and then click **OK** to close the prompt box. **Bind and create player** will be displayed in the drop-down options.

Step 6 Click **OK**.

After the player is bound successfully,  **The server connection is successful** is displayed at the bottom left of the page.

## 4.2.2 Creating Players with ViPlex

### 4.2.2.1 ViPlex Handy (Android and iOS)

#### Before You Begin

- Get the SSID and password of WiFi AP of the Taurus. The default SSID is “**AP+the last 8 digits**”. The default password is “**12345678**”.
- Get the password of the user “**admin**”. The default password of the user “**admin**” is “**123456**”.
- Connect the Taurus to Internet.


#### Operating Steps

Step 1 Connect to the WiFi AP of the Taurus products.

Step 2 Start ViPlex Handy.


ViPlex Handy automatically detects the Taurus and refreshes the screen list. Users can also swipe down to manually refresh the screen list.

- : Denotes that the Taurus is online and you can log in to it. Go to [Step 3](#).

- : Denotes that Taurus is offline and you cannot log into it.


Step 3 Tap **Connect** next to the screen name.

Step 4 Enter username and password, and tap **Login**.

After successful login,  is displayed. ViPlex Handy saves the account information automatically.

Step 5 Tap a screen name to enter the **Screen management** page.

Step 6 Select **Remote Management > Player Binding**.



Step 7 Select a server. Enter the authentication user name and password of the player. The authentication information must be consistent with the authentication information in VNNOX.

Step 8 Tap **Obtain** and select **Bind and create player** from the drop-down box.

Step 9 Tap **OK**.

## 4.2.2.2 ViPlex Express (Windows)

### Before You Begin

- Get the SSID and password of WiFi AP of the Taurus. The default SSID is **“AP+the last 8 digits”**. The default password is **“12345678”**.
- Get the password of the user **“admin”**. The default password of the user **“admin”** is **“123456”**.
- Connect the Taurus to Internet.




### Operating Steps

Step 1 Connect to the WiFi AP of the Taurus products.

Step 2 Start ViPlex Express.

Step 3 Click **Refresh** to refresh the screen list.

After detecting the Taurus, ViPlex Express will try to log in to the Taurus with the default account or the account used for last login.

- : Denotes that the Taurus is online and you can log in to it. Go to [Step 4](#).
- : Denotes the Taurus is offline and you cannot log into it.
- : Denotes logging into the Taurus is successful.

Step 4 Click **Connect** on the right of the screen information.


Step 5 Enter the password for the "admin" user and then click **OK**.

After successful login, ViPlex Express saves the account information automatically.

Step 6 Select **Screen Control**.

Step 7 Click **Server configuration**.

Step 8 Select the target terminal in the terminal list.



Step 9 Select a server. Enter the authentication user name and password of the player. The authentication information must be consistent with the authentication information in VNNOX.

Step 10 Click  next to **Player** and select **Bind to VNNOX Lite** from the drop-down list.

Step 11 Click **Bind**.

## 4.3 Adding Media

### Related Information

Media types supported by VNNOX Standard are shown in [Table 4-1](#). The total media storage space is 5 GB.

Table 4-1 Media types supported by VNNOX Standard

Media Type	VPlayer	Taurus
Image	JPG, PNG, ICO, BMP, GIF, JPEG	JPG, PNG, ICO, BMP, GIF, JPEG
Video	Video container formats: MP4, AVI, RMVB, FLV, MKV, WMV, MOV	Video container formats: MP4, AVI, FLV, WMV, MOV
Audio	Currently not supported.	MP3  Note: Audio files can be used as the background audio of text and images only

## Operating Steps

- Step 1 Choose **Content**.
- Step 2 Click **Add media**.
- Step 3 Select and open the media.






## 4.4 Creating Solutions
























- Step 1 Choose **Solutions**.
- Step 2 Click **New**.
- Step 3 Set the name and resolution of the solution and click **OK**. Solution editing page will displayed, as shown in [Figure 4-2](#). The introduction of the editing page is detailed in [Table 4-2](#).

Figure 4-2 Solution editing page



Table 4-2 Introduction of the solution editing page

No.	Function	Description
1	Basic information settings	View or change the solution name and set the resolution.
2	Adding media	Add media. <ul style="list-style-type: none"> <li>•  : Add a file.</li> <li>•  : Add a text widget.</li> <li>•  : Add a digital clock widget.</li> <li>•  : Add a weather widget.</li> <li>•  : Add RSS.</li> </ul>
3	Saving and publishing solutions	Save and publish solutions.
4	Editing solution	Add, copy and delete pages as well as adjust the order


No.	Function	Description
	pages	<p>of pages.</p> <p>Pages are played according to the page order from top to bottom.</p> <ul style="list-style-type: none"> <li>•  : Add</li> <li>•  : Copy</li> <li>•  : Delete</li> <li>•  : Move up</li> <li>•  : Move down</li> </ul>
5	Editing page media	<p>Zoom in or out pages, delete media, and adjust media layer and layout. Batch operations are supported. A text widget can be added by double clicking the blank.</p> <p>Users are allowed to copy media (including properties) from other pages and paste the media on the current page.</p> <ul style="list-style-type: none"> <li>•  : Customize zoom percentage</li> <li>•  : Undo your last action. You can undo at most 5 steps.</li> <li>•  : Redo your last action. You can redo at most 5 steps.</li> <li>•  : Clear</li> <li>•  : Delete</li> <li>•  : Bring forward</li> <li>•  : Send backward</li> <li>•  : Bring to front</li> <li>•  : Send to back</li> <li>•  : Auto fit</li> <li>•  : Fill horizontally</li> <li>•  : Fill vertically</li> <li>•  : Align bottom</li> <li>•  : Center vertically</li> <li>•  : Align top</li> <li>•  : Align left</li> <li>•  : Center horizontally</li> <li>•  : Align right</li> </ul>
6	Editing properties	<p>Edit the properties of widgets and pages.</p> <p>Widgets refer to the media on pages. Select a widget before you edit it.</p>

Step 4 After the solution is edited, click **Save**.

## 4.5 Publishing Solutions


After a solution is edited, click **Publish** to publish it. In other situations, you can perform the following operations to publish a solution.



Step 1 Choose **Solutions**.

Step 2 Click  of a corresponding solution.

Step 3 Select one or multiple players and click **OK**.

Step 4 Perform any of the following operations to view the publishing progress and result.

- Choose **Players** and view the **Solution** column.
- At the top right of the page, click .

The number on  denotes the number of players which are publishing solutions, for example, .

# 5 Other Functions

## 5.1 Authorizing Players

Players in VNNOX Standard can be transferred to VNNOX AD by authorization.

Step 1 Choose **Players**.

Step 2 Click **Authorize Player**.

Step 3 Select the players to be authorized.

The authorization status list displays the players to be handled. The player information will be removed from the list after any of the following operations is complete.

- NovaStar's engineers handle the authorization process.
- The user delete the players on player management page.

Step 4 Enter your contact information.

Step 5 Choose to accept the agreements.

Step 6 Click **Submit Order**.


- If there are available licenses in VNNOX Pro, the system will automatically associate the players with the licenses.
- If there are no available licenses in VNNOX Pro, we will contact you for the payment within 2 working days.

## 5.2 Upgrading Terminal Players

Users can upgrade the software versions of terminal players.

Step 1 Choose **Players**.

Step 2 Click .

 is displayed when the software is the latest or is being upgraded.

Step 3 Click **OK**.

Step 4 In the **Details** column, view the upgrade progress.

Step 5 View the software version after the upgrade is done.


- Synchronous player: The version of VPlayer is displayed.



- Asynchronous player: The software version of Taurus is displayed.
  - **Software:** Displays the versions of the Android application and FPGA program.
  - **System:** Displays the version of the Android OS.

## 5.3 Grouping Players

Users can implement grouping management for players.

- Step 1 Choose **Players**.
- Step 2 Click **Grouping Management**.
- Step 3 Move your mouse to a group name, click  and select **New Group**.
- Step 4 Enter a new group name.
- Step 5 Find and select the players to be added to the new group.
- Step 6 Click **Move to Group**, select the new group from the drop-down box and click **OK**.

## 5.4 Remote Real-Time Control

Users can remotely control screen brightness, volume, video source, screen status, power and synchronous playback in real time and can restart and monitor terminal players.

- Step 1 Choose **Player Control**.
- Step 2 Click an icon to enter the corresponding page.

Table 5-1 Description of real-time control

Function	Description
Brightness	Adjust screen brightness.
Volume	Adjust screen volume.
Video Source	Switch between internal video source and HDMI video source.
Restart	Restart terminal players which takes about 20 seconds. The player is offline while being restarted.
Screen Status	Switch between normal display and black screen.
Monitor	View terminal player disk usage and data usage and clean up media.
Screen Power	Turn on or off screen power.
Synchronous Playback	Turn on or off synchronous playback.

- Step 3 On the left of the page, select the target online players.
- Step 4 Perform the following operations based on the actual situation.
  - To restart players, click **Restart Now**.
  - For the monitoring function, click **Media Cleanup**. If users choose to clean up the media that is being played at the same time, the screen may go black.


- For other functions, set the parameters and click **Apply**.

## 5.5 Syncing Time

Users can sync the time of terminal players via the time synchronization function.

- Step 1 Choose **Player Control**.
- Step 2 Click **Time Synchronization**.
- Step 3 On the left of the page, select the online players that require time synchronization.
- Step 4 Select a time synchronization method as required and configure the relevant parameters.

Table 5-2 Description of time synchronization methods

Method	Applicable To	Time Reference	Description
Manual	Taurus	Time of the selected time zone	After you select a time zone, the new time will be displayed.
NTP	VPlayer Taurus	Time of NTP server	Click  to add a custom server.
RF (Radio Frequency)	Taurus	Time of the reference device	<p>You need to buy and install RF devices before time synchronization.</p> <ul style="list-style-type: none"> <li>• <b>Group ID:</b> Set a same group ID for multiple Taurus units and these units belong to the same group.</li> <li>• <b>Set as reference device:</b> Sync the time of other devices in a group with the time of the reference device.</li> <li>• <b>NTP:</b> When NTP is turned on, the time of the reference device will be synchronized with the time of NTP server. When NTP is turned off, the time of the reference device will be synchronized with the time of the selected time zone.</li> </ul>

- Step 5 Click **Apply**.

## 5.6 Viewing Remote Control Logs

Users can view the logs of remote control command execution of terminal players.

- Step 1 Choose **Logs > Remote Control Logs**.
- Step 2 Click **Please select** to select one or more players.
- Step 3 Select a control command type.
- Step 4 (Optional) Click **Advanced Search** to set more search criteria.
- Step 5 Click **Search**.

## 5.7 Viewing Play Logs

Users can view play logs, including overview and details.

Step 1 Choose **Logs** > **Play Logs**.

Step 2 Click **Player** and select one or more players.

To view the overviews of play logs, up to 50 players can be selected. To view the details of play logs, up to 25 players can be selected.

Step 3 Set search criteria and click **Search**.

- Log type: Choose to search for the overviews or details of play logs.
- Date range: Cannot be the current day and greater than 30 days.
- Keyword: Click **Advanced Search** to display this parameter. You can search for a play log by entering a media name.

## 5.8 System Switching

Users can switch between the VNNOX homepage, VNNOX Standard, VNNOX AD and iCare.

Step 1 Move your mouse to  at the top left.

Step 2 Select an option from the drop-down box to switch to the corresponding service.

**Copyright © 2019 Xi'an NovaStar Tech Co., Ltd. All Rights Reserved.**

No part of this document may be copied, reproduced, extracted or transmitted in any form or by any means without the prior written consent of Xi'an NovaStar Tech Co., Ltd.

**Trademark**

**NOVA STAR** is a trademark of NovaStar Tech Co., Ltd.

**Statement**

You are welcome to use the product of Xi'an NovaStar Tech Co., Ltd. (hereinafter referred to as NovaStar). This document is intended to help you understand and use the product. For accuracy and reliability, NovaStar may make improvements and/or changes to this document at any time and without notice. If you experience any problems in use or have any suggestions, please contact us via contact info given in document. We will do our best to solve any issues, as well as evaluate and implement any suggestions.

[Official website](http://www.novastar.tech)  
www.novastar.tech

[Technical support](mailto:support@novastar.tech)  
support@novastar.tech